## Main authors


| | Page |
|---|---|
| Åkerlund, M., and Strömberg, P. | 485 |
| Arrigo, A., Casale, R., Giorgi, I., *et al.* | 491 |
| Arsac, M., and Frileux, C. | 214 |
| Atasu. T.,. Kösebay, D., and Aksu, F. | 56 |
| Bayer, R., Schwarzmaier, J., and Pernice, R. | 254 |
| Behrens-Baumann, W., Quentin, C. D., Gibson, J. R., *et al.* | 227 |
| Bergmann, K.-Ch., Bauer, C.-P., and Overlack, A. | 533 |
| Berstein-Hahn, L., Valdés, E., Gehanno, P., *et al.* | 442 |
| Bilione, F., and Roncari, R. | 45 |
| Bird, H. A., Hill, J., Ardley, R. B., *et al.*, | 4 |
| Brown, W. V., | 321 |
| Canadian Multicentre Study Group | 16 |
| Car, N., Skrabalo, Z., and Verho, M. | 133 |
| Carrasco, E., and Sepulveda, R. | 341 |
| Ciocci, A. | 471 |
| Cohn, J. B., and Rickels, K. | 304 |
| Crome, P., Baksi, A., Edwards, J., *et al.* | 279 |
| Danese, C., Sergio, G.,. Giunta, G., *et al.* | 221 |
| Debbas, N. M. G., Ankier, S. I., and Warrington, S. J. | 501 |
| De Pauw, B. E., Novakova, I. R. O., Ubachs, E., *et al.* | 64 |
| Dixon, A. St. J., Jacoby, R. K., Berry, H., *et al.* | 205 |
| Edwards, A. M., and Chambers, A. | 283 |
| El-Mufti, M., Rakas, F. S., Glessa, A., *et al.* | 354 |
| Finch, W. F., Zanaga, P., Mickelson, M. M., *et al.* | 409 |
| Frankhof, W. | 28 |
| Gramajo, R. J., Cutroneo, E. J., Fernandez, D. E., *et al.* | 366 |
| Guerot, C., Khemache, A., Sebbah, J., *et al.* | 73 |
| Hamedani, P., Hafeez, S., Ali, J., *et al.* | 510 |
| Heseltine, D., and Bramble, M. G. | 232 |
| Høstmælingen, H. J., Asskilt, O., Austad, S. G., *et al.* | 593 |
| Jaffé, G. V., Grimshaw, J. J., and Constad, D. | 453 |
| Jensen, O. H., Slot, O., and Ernst, E. | 518 |
| Jibril, H. B., Ifere, O. A. S., and Odumah, D. U. | 585 |
| Kaarek, K., Lehtinen, K., Skinhøj, A., *et al.* | 427 |
| Kameyama, J., Tsukamoto, M., Asano, T., *et al.* | 576 |
| Kremer, P., Marowski, C., Jones, C., *et al.* | 293 |
| Leiste, D., Braun, W., Fegeler, W., *et al.* | 567 |
| Lintott, C. J., Scott, R. S., and Bremer, J. M. | 374 |
| McDonald, C., Pover, G. M., and Crompton, G. K. | 116 |
| McKinna, H., Stewart-Jones, J. H., Edgar, D. F., *et al.* | 1 |
| Marano, P., Patti, F., and Nicoletti, F. | 41 |
| Medici, M., Pebet, M., and Ciblis, D. | 398 |
| Menzies, D. G., Campbell, I. W., McBain, A., *et al.* | 273 |
| Moreno, J. P., and González, G. | 523 |
| Morley, P. A. R., and Munot, L. D. | 142 |
| Navaratnam, V., and Foong, K. | 600, 611, 620 |
| Norwegian Gastro-Intestinal Group (NORGAS) | 149, 159, 171, 179, 196 |
| Pariente, F., Caddeo, S., and Ecari, U. | 543 |
| Parr, S. N. | 557 |
| Rai, G., Wright, G., Scott, L., *et al.* | 638 |
| Richards, H. H., and Vallé-Jones, C. J. | 48 |
| Rouffy, J., Chanu, B., Bakir, R., *et al.* | 123 |
| Rouy, J. M., Douillon, A. M., Compan, B., *et al.* | 380 |
| Ryley, N. J., and Lingam, G. | 10 |
| Sauvage, J. P., Ditisheim, A., Bessede, J. P., *et al.* | 631 |

## Main authors


| | Page |
|---|---|
| Åkerlund, M., and Strömberg, P. | 485 |
| Arrigo, A., Casale, R., Giorgi, I., *et al.* | 491 |
| Arsac, M., and Frileux, C. | 214 |
| Atasu. T.,. Kösebay, D., and Aksu, F. | 56 |
| Bayer, R., Schwarzmaier, J., and Pernice, R. | 254 |
| Behrens-Baumann, W., Quentin, C. D., Gibson, J. R., *et al.* | 227 |
| Bergmann, K.-Ch., Bauer, C.-P., and Overlack, A. | 533 |
| Berstein-Hahn, L., Valdés, E., Gehanno, P., *et al.* | 442 |
| Bilione, F., and Roncari, R. | 45 |
| Bird, H. A., Hill, J., Ardley, R. B., *et al.*, | 4 |
| Brown, W. V., | 321 |
| Canadian Multicentre Study Group | 16 |
| Car, N., Skrabalo, Z., and Verho, M. | 133 |
| Carrasco, E., and Sepulveda, R. | 341 |
| Ciocci, A. | 471 |
| Cohn, J. B., and Rickels, K. | 304 |
| Crome, P., Baksi, A., Edwards, J., *et al.* | 279 |
| Danese, C., Sergio, G.,. Giunta, G., *et al.* | 221 |
| Debbas, N. M. G., Ankier, S. I., and Warrington, S. J. | 501 |
| De Pauw, B. E., Novakova, I. R. O., Ubachs, E., *et al.* | 64 |
| Dixon, A. St. J., Jacoby, R. K., Berry, H., *et al.* | 205 |
| Edwards, A. M., and Chambers, A. | 283 |
| El-Mufti, M., Rakas, F. S., Glessa, A., *et al.* | 354 |
| Finch, W. F., Zanaga, P., Mickelson, M. M., *et al.* | 409 |
| Frankhof, W. | 28 |
| Gramajo, R. J., Cutroneo, E. J., Fernandez, D. E., *et al.* | 366 |
| Guerot, C., Khemache, A., Sebbah, J., *et al.* | 73 |
| Hamedani, P., Hafeez, S., Ali, J., *et al.* | 510 |
| Heseltine, D., and Bramble, M. G. | 232 |
| Høstmælingen, H. J., Asskilt, O., Austad, S. G., *et al.* | 593 |
| Jaffé, G. V., Grimshaw, J. J., and Constad, D. | 453 |
| Jensen, O. H., Slot, O., and Ernst, E. | 518 |
| Jibril, H. B., Ifere, O. A. S., and Odumah, D. U. | 585 |
| Kaarek, K., Lehtinen, K., Skinhøj, A., *et al.* | 427 |
| Kameyama, J., Tsukamoto, M., Asano, T., *et al.* | 576 |
| Kremer, P., Marowski, C., Jones, C., *et al.* | 293 |
| Leiste, D., Braun, W., Fegeler, W., *et al.* | 567 |
| Lintott, C. J., Scott, R. S., and Bremer, J. M. | 374 |
| McDonald, C., Pover, G. M., and Crompton, G. K. | 116 |
| McKinna, H., Stewart-Jones, J. H., Edgar, D. F., *et al.* | 1 |
| Marano, P., Patti, F., and Nicoletti, F. | 41 |
| Medici, M., Pebet, M., and Ciblis, D. | 398 |
| Menzies, D. G., Campbell, I. W., McBain, A., *et al.* | 273 |
| Moreno, J. P., and González, G. | 523 |
| Morley, P. A. R., and Munot, L. D. | 142 |
| Navaratnam, V., and Foong, K. | 600, 611, 620 |
| Norwegian Gastro-Intestinal Group (NORGAS) | 149, 159, 171, 179, 196 |
| Pariente, F., Caddeo, S., and Ecari, U. | 543 |
| Parr, S. N. | 557 |
| Rai, G., Wright, G., Scott, L., *et al.* | 638 |
| Richards, H. H., and Vallé-Jones, C. J. | 48 |
| Rouffy, J., Chanu, B., Bakir, R., *et al.* | 123 |
| Rouy, J. M., Douillon, A. M., Compan, B., *et al.* | 380 |
| Ryley, N. J., and Lingam, G. | 10 |
| Sauvage, J. P., Ditisheim, A., Bessede, J. P., *et al.* | 631 |

| | Page |
|---|---|
| Schmidt, K. H., Wörner, U. M., and Buck, H. J., | 107 |
| Schwarzer, A. C., Cohen, M., Arnold, M. H., *et al.* | 648 |
| Singal, A. K., Kumar, A., and Broor, S. L. | 390 |
| Smith, R. B., and Moodie, J. | 34, 661 |
| Stoeckel, K., Tam, Y. K., and Kneer, J. | 432 |
| Studd, J. W. W., Dooley, M. M., Welch, C. C., *et al.* | 477 |
| Tartaglia, P., Perolo, F., and D'Ales, A. | 360 |
| Trafford, J. A. P., Latta, D., Little, P. S., *et al.* | 550 |
| Tukiainen, H., Jaakkola, J., Torkko, M., *et al.* | 236 |
| Valle, I., Sola, G., and Origone, A. | 80 |
| Vallé-Jones, C., O'Hara, J., and O'Hara, H. | 331 |
| Wan, S. K. H., Hoff, W., and Evans, T. R. | 242 |
| Ward, J., and Skreta, M. | 87 |
| Watson, J. B. G. | 654 |
| Williams, H. N. | 417 |
| Williams, P.I., Hosie, J., and Scott, D. L. | 463 |
| Zabludowski, J. Rosenfeld, J., Akbary, M. A., *et al.* | 93 |

## Subject


| | Page |
|---|---|
| Acetyl-l-carnitine, in Alzheimer's disease | 638 |
| Acipimox, in hyperlipidaemia | 374 |
| Alifedrine, in cardiac failure, haemodynamic effects | 242 |
| Alprazolam, in generalized anxiety disorder with depression, compared with etizolam | 543 |
| Amitriptyline, sustained release, compared with flupenthixol in elderly depressives | 593 |
| Amoxycillin, alone and combined with clavulanic acid, in bacterial pneumonia in children | 585 |
| –, combined with clavulanic acid, compared with ceftriazone in surgery infection prophylaxis | 354 |
| Antacid, chewable, compared with chewable cimetidine in dyspepsia | 557 |
| Antibiotic-corticosteroid combinations, in second degree haemorrhoids | 34 |
| – –, in otitis externa, comparison of spray versus drops | 661 |
| | |
| Baclofen, in spasticity due to cerebrovascular lesions, compared with tizanidine | 398 |
| Beclomethasone dipropionate, in bronchial asthma, compared with nedocromil sodium | 533 |
| – –, – –, combined with salbutamol | 116 |
| Benzodiazepines, adjunctive use by opiate addicts | 611, 620 |
| Benzoyl peroxide, in acne vulgaris, comparison of different preparations alone and combined with hydrocortisone | 453 |
| Bezafibrate, in hypercholesterolaemic patients with tendinous xanthomatosis | 123 |
| –, in hyperlipoproteinaemia Type IIa and IIb, compared with gemfibrozil | 293 |
| –, in hyperlipidaemia, compared with probucol | 523 |
| Bromazepam, in anxiety neurosis, compared with metaclazepam | 45 |
| Bromocriptine, in hyperprolactinaemia | 56 |
| Buspirone, in chronic anxiety in women, compared with diazepam | 304 |
| | |
| Cefbuperazone, in biliary infection, pharmacokinetics and therapeutic effect | 576 |
| Cefetamet pivoxil, pharmacokinetics | 432 |
| – –, clinical experience in various bacterial infections | 442 |
| Ceftriaxone, in surgery infection prophylaxis, compared with clavulanate-potentiated amoxycillin | 354 |
| Celiprolol, in mild to moderate essential hypertension, dosage levels | 550 |
| Chloramphenicol, in bacterial conjunctivitis, compared with trimethoprim-polymyxin B sulphate | 227 |
| Cimetidine, in non-ulcer dyspepsia | 390 |
| –, –, chewable formulation compared with chewable antacid | 557 |
| Clavulanic acid/amoxycillin, in surgery infection prophylaxis, compared with ceftriaxone | 354 |
| –/–, in bacterial pneumonia in children, compared with amoxycillin alone | 585 |
| Clotrimazole, in symptomatic vaginal candidiasis, compared with fenticonazole | 477 |
| Co-dergocrine, in mental deterioration in the elderly | 380 |
| –, in severe multi-infarct dementia in the elderly, effects of intravenous high doses | 491 |
| Co-trimoxazole, in haematological malignancies | 64 |
| | |
| Diazepam, in anxiety states, controlled-release compared with conventional form | 87 |
| –, in chronic anxiety in women, compard with buspirone | 304 |
| Diclofenac, in ankylosing spondylitis, compared with tenoxicam | 648 |
| Diflunisal, in acute ankle sprains and strains, compared with flurbiprofen | 409 |
| Doxycycline/tinidazole, in abdominal surgery infection prophylaxis | 149, 159, 171, 179, 196 |
| | |
| Enalapril, in mild to moderate essential hypertension, compared with ramipril | 93 |
| Ergoloid mesylates. See Co-dergocrine. | |
| Erythromycin, in acute and chronic Legionnaire's disease and co-existent tuberculosis | 510 |
| Etizolam, in generalized anxiety disorder with depression, compared with alprazolam | 543 |
| Etodolac, in osteoarthritis | 463, 471 |

| | Page |
|---|---|
| Fendiline, basic pharmacological actions compared with prenylamine | 254 |
| Fenofibrate, in hypercholesterolaemia | 321 |
| Fenticonazole, in symptomatic vaginal candidiasis, compared with clotrimazole | 477 |
| –, in cutaneous mycoses, compared with naftifine | 567 |
| Flupenthixol, in depression in the elderly, compared with sustained-release amitriptyline | 593 |
| Flurbiprofen, in acute ankle sprains and strains, compared with diflunisal | 409 |
| Furosemide, in patients with congestive heart failure and diabetes, compared with piretamide | 133 |
| –, postural blood pressure changes, compared with thiazides | 232 |
| Fusidic acid. See Sodium fusidate. | |
| Gemfibrozil, in hyperlipoproteinaemia Type IIa and IIb, compared with bezafibrate | 293 |
| Glafenine, in post-operative pain, compared with ketorolac tromethamine | 214 |
| Glyceryl trinitrate, comparative efficacy and acceptability of two transdermal patches | 331 |
| Glycosaminoglycan-peptide complex, in osteoarthritis of the hip or knee | 366 |
| Heparin, low molecular weight, in prevention of post-operative deep vein thrombosis | 80, 360 |
| Hydrocortisone, combined with benzoyl peroxide, in acne vulgaris | 453 |
| Indomethacin, prolonged release, comparison of blood loss caused by two formulations | 4 |
| –, –, in rheumatoid arthritis, compared with conventional capsules | 427 |
| Isoxicam, in osteoarthritis, compared with controlled-release naproxen | 28 |
| Ketoprofen, in dysmenorrhoea, compared with naproxen | 485 |
| Ketorolac tromethamine, in post-operative pain, compared with glafenine | 293 |
| Lormetazepam, in elderly insomniacs, comparison of two dose levels | 48 |
| Metaclazepam, in anxiety neuroses | 41 |
| –, –, compared with bromazepam | 45 |
| Metformin, in obese non-insulin dependent diabetics, comparison of two dosage schedules | 273 |
| Mupirocin, in superficial skin sepsis, compared with sodium fusidate | 142 |
| Naftifine, in cutaneous mycoses, compared with fenticonazole | 567 |
| Naproxen, pharmacokinetics of controlled-release and standard tablets | 10 |
| –, in dysmenorrhoea, compared with ketoprofen | 485 |
| –, controlled-release, in osteoarthritis and rheumatoid arthritis | 16 |
| –, –, in osteoarthritis, compared with isoxicam | 28 |
| Nedocromil sodium, in chronic asthma | 417 |
| –, –, –, compared with beclomethasone dipropionate | 533 |
| Niflumic acid, in tonsillitis in adults | 631 |
| Nitrendipine, pharmacokinetics in elderly normotensives | 279 |
| Opiate addiction, adjunctive use of other drugs | 600, 611, 620 |
| Ossein-hydroxyapatite compound, effect on new bone growth in rats | 107 |
| Picotamide, effects of prolonged therapy on platelet activity in peripheral arterial disease | 221 |
| Pinaverium bromide, effects on cardiac excitability and conduction | 73 |
| Piretanide, on congestive heart failure, compared with furosemide | 133 |
| Polymyxin B sulphate/trimethoprim, in bacterial conjunctivitis, compared with chloramphenicol | 227 |
| Prenylamine, basic pharmacological actions compared with fendiline | 254 |
| Probucol, in hyperlipidaemia, compared with bezafibrate | 523 |
| Procaterol, in bronchial asthma, compared with salbutamol | 236 |

| | Page |
|---|---|
| Ramipril, in mild to moderate essential hypertension, compared with enalapril | 93 |
| Salbutamol, combined with beclomethasone dipropionate, in bronchial asthma | 116 |
| –, in bronchial asthma, compared with procaterol | 236 |
| Sodium cromoglycate, in bronchial asthma, lactose-free compared with the standard formulation | 283 |
| – –, –, comparison of two dose levels | 341 |
| Sodium fusidate, in superficial skin sepsis, compared with mupirocin | 142 |
| Sodium hyaluronate, in osteoarthritis of the knee | 205 |
| Tenoxicam, effects on the fibrinolytic system | 518 |
| –, in ankylosing spondylitis, compared with diclofenac | 648 |
| Terbutaline, in bronchial asthma, efficacy and acceptability of metered-dose powder inhalation | 654 |
| Thiazides, postural blood pressure changes, compared with furosemide | 232 |
| Thymoxamine, reversal of tropicamide-induced mydriasis | 1 |
| Tinidazole/doxycycline, in abdominal surgery infection prophylaxis | 149, 159, 171, 179, 196 |
| Tizanidine, in spasticity due to cerebrovascular lesions, compared with baclofen | 398 |
| Trazodone, pharmacodynamic effects of standard and controlled-release formulations | 501 |
| Trimethoprim/polymyxin B sulphate, in bacterial conjunctivitis, compared with chloramphenicol | 227 |

*Special Issue.* Volume 11, Number 3, 1988

| | |
|---|---|
| "Antimicrobial prophylaxis in abdominal surgery: an on-going research project" | 149-196 |
| *Norwegian Gastro-Intestinal Group (NORGAS)* | |

*Supplement Issue.* Volume 11, Supplement 1, 1989

*"Modern trends in the treatment of depression"*

| | |
|---|---|
| Some aspects of the diagnosis of depressive states. *Yves Pelicier.* | 3 |
| Life events and depression. *J. A. Costa e Silva* | 10 |
| Critical evaluation of non-drug treatment in the management of depression. *Markus Gastpar* | 24 |
| Drug treatment in the management of depression: a critical evaluation. *P. Shulz and P. Dick.* | 30 |
| Review on the use of irreversible monoamine oxidase inhibitors (MAOIs) in psychiatry. *Luis Paulo Bechelli, Antonio Egidio Nardi and Angela B. Alves.* | 38 |
| Pharmacological and clinical aspects in development of new antidepressants. *R. Amrein and W. Schmid-Burgk.* | 53 |
| Clinical experience with a new monoamine oxidase inhibitor, moclobemide (Ro 11-1163). *C. N. Stefanis, B. Alevizes, G. Papadimitriou, J. Hatzimanolis and M. Markianos.* | 65 |